

Scientific Name: Alasmidonta varicosa

COMMON NAME: Brook Floater GLOBAL RANK: G3

STATES & PROVINCES:

CA: NB, NS US: CT, DE, MA, MD, ME, NC, NH, NJ, NY, PA, RI, SC, VA, VT, WV

STATE/PROVINCIAL STATUS:

STATE/PROV	<u>SRANK</u>	SPROT	TREND	TREND COMMENT
NB	S1S2		?	Historical records from Renous & Petitcodiac rivers (Clayrke 1981);
NS	S1S2		?	current status unknown Historical records from Wallace, La Have, St. Mary, Annapolis, & Stewiacke rivers (Clarke 1981); current status unknown
CT	S1	SC	D	One known extant occurrence; at least
DE GA	SH SRF		D	eight historic occurrences One historic record; extirpated? One erroneous historic record (Clarke
MA	S1	E	D	1981) Five EOs in four streams since 1979; absent from at least 10 additional
MD	S1	PE	D	historic sites Only 3 known extant occurrences out of 12+ historic sites; 106 locations
ME	S2		S	searched in FYS92-93 As of the 1980s, known from 7 EOs on 6 rivers; 5 of these reconfirmed and 7 new EOs on 6 rivers were found in 1992; 5 new EOs on 5 rivers were found in 1993. 12-23 EOs total extant on 12 rivers, 1 historic EO (river) of unknown status, & 2 recent EOs (rivers) of unknown status (dead
NC	S2	T	D	shells only) Always uncommon, only one sizable
NH	S1S2	E	S?	population known & 9 smaller pops Seven EOs known, most discovered in
NJ	S1		D	past two years Approx. 9 historical occurrences; only
NY '	S1		D	one known extant occurrence Four known extant EOs; 15-20 historic
PA	S1		D	EOs; one very large (50K?) population Significant decline! Only two recent records of recently dead individuals in eastern PA and one patchy 10-15 km EO in western PA; 40+ historic EOs
RI SC	SH S1		D ?	One historic record Only known by Alderman (2/16/94 letter to be extant in Stevens and Turkey creeks
VA	S1	T	D	Recent sharp declines in N. Fork Shenandoah
VT	S1		S?	All occurrences in one river; good population but sedimentation a problem
WV	S1		S?	Recorded from 6 streams; found at 12 of 19 stations on Patterson Creek in 1993

SUMMARY & RECOMMENDATIONS:

Significant declines have occurred south of New England, and the species no longer occurs at most of its historic stations. However, a number of very healthy populations have been discovered in the past four years in NY, VT, NH, and ME with the aid of USFWS funding support. Recommend retention in Category 2.

EXTANT(?) OCCURRENCES, BY STATE:

STATE	<u>EO#</u>	EORANK	LAST OBSERVED	COMMENTS			
CT	003	E	1993-10-26				
MA	002 004 005 001		1979-08-27 1980-10-27 1982-10-01 1986-06-16	dozens observed; est. hundreds			
	003	В	1988	dozens observed			
MD		D	1992	(Potomac R. at Cherry Run); 2 live indiv. in 3			
		D	1992	hr search (Monocacy R.); 1 live indiv. found			
		D	1990	(Conococheague Creek); one recently dead shell			
ME	002 004		1992 1992 1992	17+ observed 3 observed (W Br Sheepscot R.); 17 observed			
	001		1992 1992	>50 observed (E Br Mattawamkeag R.); 29+ observed			
			1992	(Mattawamkeag R.); 31+ observed			
	005/6 003	A?	1992-07-12 1985-09-23	>50 observed			
	007	A?	1992	32+ observed in spot- checking of 5-6 miles			
	000		1992	(Wytopitlock Stream); 8 observed			
	800		1993 1993	60 observed (Penobscot R.); 2 dead			
			1993	shells only (Kenduskeag stream); 34+			
			1993	observed (Allen stream); 3 observed			
			1993	(Machias River); 1 dead shell only			
NC	[SEE	[SEE ATTACHED 2/16/93 SUMMARY]					
NH	005 006 002	AB B AB A D	1992-3 1992-93 1992-93 1992-93 1990	<pre>(Merrimack R.) (Soucook R.) (Suncook R.) (Piscataquog R.) < 20 adults? (previously</pre>			
		AB	1992-93	est. 100+) (Sugar R., Croyden Branch)			

ŊJ		1991-08-14 1992-08-19	One freshly dead found (Stony Brook) One live found
NY	001 E	1985-90	D. Strayer has found l live individual here
	002 A 005 BC	1991 1990-07-11	est. 48,000 individuals 2 adults; prob. a sparse pop. here (perhaps few dozen per mile of
	006 BC	1990-07-11	stream) 1 live adult; pop. very sparse, perhap dozens per stream mile
	007 E	1985-90	l live observed; pop. widely distributed & small
	008 C 009 D	1990-08-04 1991-07-28	2 live found 1 live found; no evidence of reprod.
PA	[SEE ATTACHED PRI	NTOUT]	
SC	[SEE ATTACHED ALD	ERMAN LETTER]	
VA	002 D 003 D	1990-06-27 1990-06-26	Several fresh dead found ca 50 dead & fresh dead found, but no livindividuals
	004 X	1990-06-27	dead sheels only observed
	005 D	1990-09-11	sevral relict shells found
	006 D	1990-09-11	several relict shells found
	007 D	1990-09-10	several fresh dead shells found
	008 D	1991-09-24	One stressed live individual found; road widening impacting site
	010 U 011 U	1938-07-18 1949-07-30	2 adults 1 adult
VT	[SEE ATTACHED PRI	NTOUT & 1991-92 STA	TUS REPORTS]
WV	[SEE ATTACHED LET	TER]	